

WHAT IS CLAIMED IS:

1. A system for interacting with a shared electronic display, the system comprising:

at least one mobile station, wherein each mobile station is capable of storing a  
5 personal profile of a user of the respective mobile station; and  
a processor capable of generating a position indicator based upon the respective  
personal profile of the at least one mobile station, wherein the processor is capable of  
driving the electronic display to present information and the position indicator of the at  
least one mobile station, and wherein the processor is capable of communicating with the  
10 at least one mobile station such that each mobile station is capable of directing a position  
of the respective position indicator presented on the electronic display.

2. A system according to Claim 1, wherein the processor is capable of at  
least one of transmitting information to and receiving information from the at least one  
15 mobile station.

3. A system according to Claim 2, wherein the processor is capable of  
driving the electronic display to further present at least one selectable object, wherein  
each mobile station is capable of directing a position of the respective position indicator  
20 to thereby select at least one selectable object, and wherein the processor is capable of at  
least one of transmitting information to and receiving information from at least one  
mobile station when the respective at least one mobile station selects at least one  
selectable object.

25 4. A system according to Claim 2, wherein the processor is capable of  
modifying at least a portion of the information presented by the electronic display in  
response to at least one of transmitting information to and receiving information from at  
least one mobile station.

5. A system according to Claim 1, wherein the processor is capable of modifying at least one position indicator to indicate an operational mode of the respective at least one position indicator.

5 6. A system according to Claim 1 further comprising:  
a resource in electrical communication with the processor, wherein the resource is capable of storing the personal profile of the user of at least one respective mobile station, wherein at least one mobile station is capable of storing a uniform resource indicator (URI) of the resource, and wherein the processor is capable of communicating with the  
10 resource based upon the URI to thereby retrieve each personal profile before generating the position indicator for the respective at least one mobile station based upon the respective personal profile.

7. A method of interacting with a shared electronic display, the method  
15 comprising:  
receiving a personal profile of at least one user;  
generating a position indicator for each user based upon the personal profile of the at least one user;  
driving the electronic display to present information and each position indicator;  
20 and  
directing a position of each position indicator presented on the electronic display.

8. A method according to Claim 7, wherein receiving a personal profile comprises receiving a personal profile from at least one mobile station, and wherein the  
25 method further comprises at least one of transmitting information to and receiving information from at least one mobile station after driving the electronic display to present the information and each position indicator.

9. A method according to Claim 8, wherein driving the electronic display  
30 comprises driving the electronic display to further present at least one selectable object, wherein directing a position of the respective position indicator comprises directing a

position of at least one position indicator to thereby select at least one selectable object,  
and wherein at least one of transmitting information to and receiving information from at  
least one mobile station comprises at least one of transmitting information to and  
receiving information from at least one mobile station when the at least one selectable  
5 object is selected.

10. A method according to Claim 8 further comprising:  
modifying at least a portion of the information presented by the electronic display  
in response to at least one of transmitting information to and receiving information from  
10 at least one mobile station.

11. A method according to Claim 7 further comprising:  
modifying at least one position indicator to indicate an operational mode of the  
respective at least one position indicator.

15 12. A method according to Claim 7 further comprising:  
receiving a uniform resource indicator (URI) of a resource, wherein receiving a  
personal profile of at least one user comprises receiving the personal profile of at least  
one user from the resource based upon the URI.

20 13. A shared display system comprising:  
an electronic display; and  
a processor capable of receiving a personal profile of at least one user, and  
thereafter generating a position indicator based upon each personal profile, wherein the  
25 processor is capable of driving the electronic display to present information and each  
position indicator, and wherein the processor is capable of communicating with the at  
least one user and for receiving instructions from each user regarding a position of the  
respective position indicator presented on the electronic display.

14. A system according to Claim 13, wherein the processor is capable of at least one of transmitting information to and receiving information from at least one mobile station.

5 15. A system according to Claim 14, wherein each mobile station is associated with one of the at least one user, wherein the processor is capable of driving the electronic display to further present at least one selectable object, wherein the processor is responsive to instructions from each user regarding selection of at least one selectable object based upon the position of the respective position indicator, and wherein the  
10 processor is capable of at least one of transmitting information to and receiving information from at least one mobile station when the respective a respective user selects at least one selectable object.

16. A system according to Claim 14, wherein the processor is capable of  
15 modifying at least a portion of the information presented by the electronic display in response to at least one of transmitting information to and receiving information from at least one mobile station.

17. A system according to Claim 13, wherein the processor is capable of  
20 modifying at least one position indicator to indicate an operational mode of the respective at least one position indicator.

18. A system according to Claim 13 further comprising:  
a resource in electrical communication with the processor, wherein the resource is  
25 capable of storing the personal profile of at least one user, and wherein the processor is capable of receiving a uniform resource indicator (URI) of the resource, and thereafter communicating with the resource based upon the URI to thereby retrieve the personal profile of the at least one user before generating the position indicator for the respective at least one user based upon the respective personal profile.

30

19. A mobile station comprising:

a memory capable of storing a representation of a personal profile; and  
a controller capable of transmitting the representation of the personal profile such  
that a position indicator can be generated based upon the representation of the personal  
profile, and thereafter presented on an electronic display along with information, wherein  
5 the processor is capable of transmitting instructions to thereby direct a position of the  
position indicator presented on the electronic display.

20. A mobile station according to Claim 19, wherein the controller is capable  
of communicating with a communications interface to thereby transmit the representation  
10 of the personal profile and instructions to the communications interface such that the  
communications interface can deliver the representation of the personal profile and  
instructions to a processor capable of controlling the electronic display.

21. A mobile station according to Claim 19, wherein the controller is capable  
15 of at least one of transmitting and receiving information.

22. A mobile station according to Claim 21, wherein the controller is capable  
of directing a position of the respective position indicator to thereby select at least one  
selectable object presented on the electronic display, and wherein the controller is  
20 capable of at least one of transmitting and receiving information when the controller  
selects the at least one selectable object.

23. A mobile station according to Claim 21, wherein the at least a portion of  
the information presented by the electronic display is capable of being modified in  
25 response to the controller at least one of transmitting and receiving information.